

CMT2D C08-140

Media Titan with dual Digital Tuner



Highlights

- Stream movies over the network with UpnP AV client
- Playback all your digital media (Full HD 1080p movies, photos and music)
- Navigate 90% of the functions with the sleek designed scrollwheel on the remote control

Order information

Product Code : CMT2D
Order Code : C08-140
EAN Code : 8714909013444
In a Box : 5



CMT2D C08-140

Specifications

Minimum system requirements

Computer operating system	Windows XP; Windows Vista
Computer specifications	Windows Media Player 11 or higher
Connections / interfaces	PC or laptop with USB port; Wired LAN (10/100Mbps)
Other	TV with HDMI or component connection (for HD playback); TV for playback/recording; USB storage device

Features

UPnP client	Yes
DLNA Certified	Yes
Firmware check/update.	Auto; Manual
Active cooling	Yes
Supports DLNA	1.5
Hard disk compatibility	3.5 inch
Installation wizard	Yes
TV format	PAL; NTSC
Supported signals digital TV tuner-in	DVB-T; DVB-T HD
Volume control	Yes
Integrated Video- and Audio decoder	Yes
Real-time video recording	Yes
Supports Time-Shifting	Yes
Supports scheduled recording	Yes
Recording format	MPEG2 (TS)
Supports EPG for DVB-T	Yes
Automatic channel detection	Yes
Number of tuners	Dual DVB-T (1 play, 1 record)
Power supply	External
Autoswitching power supply	Yes
Replaceable hard disk	Yes
Audio recording	Yes
Video recording	Yes
LED indicator	Yes

Performance

Chipset	ST-Micro STi7109
Supported video formats	Xvid; AVI; H.264; MPEG-2 TS; MKV; MP4; MPEG; MOV (QuickTime); VOB; WMV9
Supported music formats	MP3; AAC; OGG; PCM; WMA; WAV; AC3; M3U
Supported picture formats	JPEG; PNG; BMP; TIFF; GIF
Supported subtitle formats	SRT
Supported max speed	100Mb/s
Supported hard disk size	3.5
Supported hard disk capacity	500GB; 640GB; 750GB; 1TB
Supported hard disk speed	5400RPM; 7200RPM
Supported hard disk cache	8MB; 16MB; 32MB
Playback resolution	SD; 720p; 1080p; 1080i
Output resolution	576i (PAL); 576p (PAL); 720p; 1080i; 480i (NTSC); 480p (NTSC)
Hard disk format type	JFS
Remote control	IR (Infrared)
Input voltage AC100V-AC240V	Yes

Connections / interfaces

LAN	10; 100
Number of 10/100 ethernet ports (LAN)	1
TV Tuner	DVB-T
Number of TV tuners	2
USB host ports	3
USB data port	Yes
Wireless	
Infrared (IR) port	Yes
USB	USB 2.0
HDMI	Yes
HDMI (Standard)	HDMI 1.1
Composite	Yes



CMT2D

C08-140

Optical SPDIF	Yes
Analog Audio Out	2.0
Hard disk type/connector	SATA
Warranty	

Warranty in years	2
-------------------	---

